

# Laboratory Testing for New York State Chiropractors

## Consider Us Your Source

You can count on Labcorp for integrated services. From scientists, customer service, information technology, specimen collection and transport teams, to quality testing, we combine all in one.

Labcorp is easy to use

- Labcorp participates in an extensive network of managed care plans.
- Patient service centers are available for specimen collection; courier services are available for in-office specimen pickup.
- Specialty customer service representatives assist with test inquiries, add-on testing, or other account service needs.

### Labcorp Patient™ portal (patient web portal)

The opportunity for your patients to interact directly with the lab via a dedicated patient web portal. Your patients can manage their schedule by making appointments online and paying bills online. They can also view, download, and print their own results, saving your office staff time with phone calls and follow-up about results.

### Online appointment scheduling for specimen collection

Labcorp values your patients' time. Patients may schedule an appointment for specimen collection at one of more than 1900 patient service centers nationwide. Patients may also visit without an appointment.

## Connectivity Solutions

### Labcorp Link™

Web-based test ordering and result delivery, mobile result delivery at your fingertips

### Systems integration

Interfaces with more than 700 solutions to connect Labcorp with your EMR

### Global Patient Search\*

Global patient search is a feature of Labcorp Link that allows an authorized physician to have access to lab results that may have been ordered by other physicians for a referred patient.

Allows you to:

- Search for a referred patient's lab test based on several search parameters
- Review results of the referred patient, gaining a more complete clinical picture of the patient's health
- Minimize the time you and your staff spend requesting copies of patients' lab results

\* For global patient search feature, a physician must have a Labcorp Link account, and the physician must agree to the Global Search Terms of Use. Global search is only permitted when the physician is in a treatment relationship with the patient.



# Laboratory Testing for New York State Chiropractors

The following types of testing are approved for ordering by the New York State Education Department. Please refer to: **[op.nysed.gov/prof/chiro/chiolab](http://op.nysed.gov/prof/chiro/chiolab)** for updates to this list. Your Labcorp representative can assist with corresponding Labcorp test codes.

NOTE: Prior to submitting orders to Labcorp, each chiropractor in New York State is required to have an acknowledgement letter on file with Labcorp.

## Blood

- Acetylcholine receptor antibody
- Acid phosphatase
- Acid phosphatase, prostatic (RIA)
- ACTH (RIA)
- Activated partial thromboplastin test (aPTT)
- Adrenocortical function profile (17-OH corticosteroid, 17-ketosteroid)
- Alanine transferase: ALT (SGPT)
- Alcohol
- Aldolase (ALD)
- Aldosterone
- Alkaline phosphatase
- Alkaline phosphatase, isoenzymes
- Albumin
- Allergen testing:
  - PRIST (paper-radioimmunosorbent)-total IgE antibodies
  - RAST (radioallergosorbent) - allergen-specific IgE antibodies
- d-Amino levulinic acid
- Ammonia
- Amylase
- Angiotensin-1 converting enzyme
- Antidiuretic hormone: ADH (vasopressin)
- Alpha 1-antitrypsin
- Arthritis profile: ANA, ASO, CRP, RA latex, uric acid
- Aspartate transaminase: AST (SGOT), AST/ALT ratio
- Australian antigen (HBsAG)
- Autoantibodies:
  - anti-DNA
  - anti-ENA
  - anti-glomerular basement membrane
  - anti-IF
  - anti-Mit
  - anti-Myocardial
  - anti-nuclear
  - anti-parietal cell
  - anti-reticulin
  - anti-SM
  - anti-striational
- Bile acids
- Bilirubin: total, direct and indirect
- Bleeding time tests
- Blood groups: ABO, Rh, MN
- Bone marrow aspiration (interpretation)
- Calcitonin (RIA)
- Calcium: total, ionized
- Carbon dioxide: total (SMAC)
- Carboxyhemoglobin
- Carcinoembryonic antigen (CEA)
- Cardiac risk profile (cholesterol, TG, HDL, LDL, VLDL, LDL/HDL ratio, cholesterol/HDL ratio)
- B-Carotene
- CBC with and w/o differential
- Cephalin flocculation test
- Ceruloplasmin
- Chloride
- Cholesterol: total esters
- Cholinesterase, plasma
- Coagulation factors: qualitative
- Cold agglutinins
- Complement: total; C3 C4 quantitative
- Coomb's: direct, indirect
- Copper
- Cortisol (RIA) Cortisol: pre and post suppression
- Coumadin (Warfarin)
- C-peptide C-reactive protein (CRP)
- Creatine
- Creatine phosphokinase (CPK): total, isoenzymes
- Creatinine
- Cryoglobulin
- Culture, blood
- Dehydroepiandrosterone (DHEA)
- Dehydroepiandrosterone-sulfate (DHEA-sulfate)
- Drug screen, qualitative
- EBV-antibody
- Erythropoietin
- Estrogen, total and fractionation (RIA)
- Fatty acids
- Ferritin, serum
- Alpha fetoprotein, maternal
- Alpha fetoprotein, tumor marker
- Fibrin degradation products
- Fibrinogen
- Folate, RBC (RIA), serum (RIA)
- Follicle stimulating hormone (FSH)
- Gastrin
- Globulin count
- Glucagon (RIA)
- Glucose 6-phosphate dehydrogenase (G6PD), RBC
- Glucose, fasting (SMAC)
- Glucose tolerance: 1/2 hr, 1 hr, 1-1/2 hr, 2 hr, 3 hr, 4 hr, 5 hr, 6 hr
- Glucose tolerance PP (2hr)
- Glucose tolerance after cortisone
- Glutamate dehydrogenase
- Gamma glutamyl1-transpeptidase (GGTP)
- Glycosylated hemoglobin (Hgb A1c)
- Glycoprotein, electrophoresis
- Growth hormone (GH): fasting
- Haptoglobin

- HDL-cholesterol, HDL/LDL ratio
- Hematocrit
- Hemoglobin
- Hemoglobin electrophoresis, qualitative
- Hepatitis A antibody (anti-HAV)
- Hepatitis A antibody: total IgM
- Hepatitis B antigens: HBsAG, HBeAG
- Hepatitis B antigen with confirmation
- Hepatitis B antibodies: anti-HBc, anti-HBs, anti-Hbe
- Hepatitis C antibody
- Heterophil agglutination (Paul Bunnell, Monospot)
- Histamine
- HLA-B27
- Homocystiene
- HTLV-III (HIV) antibody
- Human chorionic gonadotropin (HCG): pregnancy test
- 5' Hydroxytryptamine (serotonin)
- Immunolectrophoresis
- Indices (RBC): MCV, MCH, MCHC
- Insulin
- Insulin antibodies
- Iodine: PBI
- Iron
- Iron binding capacity (TIBC)
- 17-Ketosteroids, total
- Lactate dehydrogenase, total and isoenzymes
- Lactic acid
- Lactose tolerance, 2 hr
- Latex fixation, RA factor
- Lead
- LE cell preparation
- Leucine aminopeptidase
- Leukocyte alkaline phosphatase
- Lipase
- Lipids: total, fractionation
- Lipoprotein electrophoresis and phenotype
- Lutenizing hormone (LH)
- Lyme's Profile/Serology
- Lymphocytes: T and B cells quantitative, T4/T8 ratio

- Alpha 2 - macroglobulin
- Magnesium
- Mercury
- Methemoglobin
- Mucopolysaccharide inclusion bodies (PMN)
- Myoglobin
- 5' - nucleotidase
- Osmolality, serum
- Osmotic fragility test (RBC)
- Parathyroid hormone (PTH)
- PTH-N terminal
- Pepsinogen
- pH (arterial)
- Phosphorus
- Platelet count
- Potassium
- Progesterone
- Prolactin
- Protein: total, A/G ratio, electrophoresis
- Prothrombin time
- Pyruvate kinase (RBC)
- RBC count
- RBC inclusion bodies
- RBC morphology
- RBC survival (51Cr)
- Renin activity (RIA)
- Reticulocyte count
- Scleroderma antibody
- Sedimentation rate (RBC): Wintrobe
- Serum methylmalonic acid
- Sickle cell preparation
- Sickle cell screen
- Siderocyte stain (RBC)
- Sodium
- Streptozyme titer (ASO titer)
- T3 (RIA)
- Reverse - T3
- T3 - uptake
- T4 (RIA)
- T7 (free thyroxine index)
- Testosterone
- Thrombin clot time (TCT)

- Thyrobinding globulin (TBG)
- Thyroglobulin antibody (anti-thyroid)
- Thyroid microsomal antibody (anti-microsoma)
- Thyroid stimulating hormone (TSH)
- Alpha tocopherol (serum)
- Transferrin
- Triglycerides, fasting
- Urea nitrogen (BUN)
- Uric acid
- Vasoactive intestinal peptide (VIP)
- Vasopressin (ADH)
- VDRL
- Vitamin A
- Vitamin B1
- Vitamin B6
- Vitamin B12 binding capacity
- Vitamin C
- Vitamin D: (25-OH cholcalciferol, 1, 25-di-OH cholcalciferol)
- WBC count with differential
- Zinc

## Urine Tests

- Amino acid screen
- d-Amino levulinic acid
- Amylase
- Amylase/creatinine clearance ratio
- Bile
- Calcium
- Caliculi examination
- Catecholamines, 24 hr: total, fractional
- Chloride, 24 hr
- Copper
- Coproporphyrin, quantitative
- 17-OH corticoids
- Creatine
- Creatinine
- Creatinine clearance
- Culture, colony count and sensitivity
- Cystine, 24 hr
- Drug screen, qualitative

# Laboratory Testing for New York State Chiropractors

- Estrogens, total
- Glucose tolerance: fasting, 1/2 hr, 1 hr, 2 hr, 3 hr
- HCG (pregnancy test)
- Hemoglobin
- Hemosiderin
- Hydroxyproline
- 5' OH-indole acetic acid (5'HIAA)
- Insulin clearance
- 17-Ketogenic steroid
- 17-Ketosteroids, alpha and beta ratio
- Ketones, qualitative
- Leukocyte esterase
- Lysozyme
- Metanephrines, 24 hr: total
- Microscopic examination: RBC, WBC, epithelial cells, casts, bacteria, occult blood
- Myoglobin
- Mucopolysaccharides
- Nitrite
- Osmolality
- Oxalates
- pH
- Phenol
- Phosphates
- PKU screen
- Porphyrins
- Protein: albumin, BJ, electrophoresis, immunoelectrophoresis
- Specific gravity
- Testosterone
- Toxic ions: arsenic, lead, mercury
- Urea

- Urea clearance
- Uric acid
- Urine protein, 24 hr: qualitative
- Urobilinogen
- Vanillylmandelic acid (VMA)
- Vitamin excretion: B1, B2, niacinVolume, 24 hr
- d-Xylose excretion

## Microbiology Tests

- Acid fast culture
- Acid fast stain
- Adenovirus group titer
- Blood parasite examination: microfilaria, hemoflagellates and plasmodium (smear)
- Candida: precipitin and culture
- Chlamydia culture
- Chlamydial group titer
- Coliform tests
- Coxsackie virus
- Cytomegalovirus (CMV), IgM
- Cytomegalovirus (CMU), titer
- Echinococcus antibody
- ELISA test for HIV antibodies
- Enterameba histolytica antibody
- Enterovirus antibody
- Fluorescent treponemal antibody (FTA/ABS)
- Fungi examination: wet mount and culture
- Gonococcal culture (w/gram stain)
- Herpes culture
- Herpes simplex titer (I and II)
- Herpes Varicella Zoster antibody (U-Z antibody)

- Legionnaires disease antibody
- Lyme disease serology
- Mumps antibody titer
- Mycoplasma antibody
- Mycoplasma: culture (respiratory)
- Rubella antibody: IgG, IgM
- Rubeola antibody titer
- Staphylococcal culture: blood agar, mannitol salt, coagulase
- Streptococcal culture-blood-hemolytic activity
- Streptococcal culture: screen (Group A, Group B)
- anti-Streptolysin O titer (ASO titer)
- TB skin tests: PPD (Mantoux)
- Toxoplasmosis antibody
- Toxoplasmosis IgM-specific antibody
- Well-Felix tests: Rickettsia

## Stool Tests

- Amebiasis
- Fecal fat
- Fiber content
- Giardiasis
- Microscopic: ova and parasites
- Occult blood
- pH
- Porphyrins: total, fractional
- Scotch tape examination for pin worms
- Starch, qualitative
- Trypsin
- Undigested material



### Acknowledgement Letter Required

Prior to submitting orders to Labcorp, each chiropractor in New York State is required to have an acknowledgement letter on file with Labcorp. Click QR code to download.



For more information,  
contact your Labcorp sales representative, or visit [Labcorp.com](https://www.labcorp.com)